Ref #	Hits	Search Query	DBs	Default Operato r	Plural	Time Stamp
(13)	17	(acl OR (access ADJ control ADJ list)) SAME ((\$1mail OR message) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/27 08:42
L5)	. 9	((log OR logged) ADJ2 file) WITH (future OR later) WITH transmission	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/27 10:08
L6	660	((log OR logged) ADJ2 file) WITH (future OR later)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/27 10:09
L7)	. 15	((log OR logged) ADJ2 file) WITH outgoing WITH message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/27 10:12
r.	0	(logger) WITH outgoing WITH message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	о́й	2007/03/27
L9		logger SAME \$1mail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON .	2007/03/27 10:22

				·····		
L10	0	("kuzma.in.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2007/03/27 . 10:22 .
L11	482	kuzma.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/27 10:22
L12	. 1	kuzma.in. AND 709/206. CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/27 10:22
S1	124037	email OR (e ADJ mail) OR (electronic ADJ mail)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:27
S2	9379	(S1 OR smtp) ADJ server	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:14
. s3	1690042	failure OR error	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON .	2007/03/21 10:17
S4	530940	list	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:18
S5	0	S1 AND (S3 WITH S2 WITH (try ADJ2 next))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:20

				_		·
(S6)	69	S1 SAME S3 SAME recover	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON .	2007/03/21 10:22
S7	394	S4 with S2	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME .	ON	2007/03/21
\$8	42	S1 SAME S2 SAME S3 SAME S4	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:25
(S9)	23	(try ADJ3 next ADJ3 server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON .	2007/03/21 10:40
S10	148	"164121" OR "358885" OR "160950" OR "066829" OR "308922" OR "158826"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:52
(S11)		S1 AND S10	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:44
S12	1714	katsuji\$.in.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:44
S13)	151	"164121" OR "358885" OR "160950" OR "066829" OR "308922" OR "158826"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:46

						· · · · · · · · · · · · · · · · · · ·
S14	46	"164121" OR "329788"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 10:46
(\$15)	323	(next ADJ3 server) SAME S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:10
(S16)	15	(next ADJ3 server) SAME S1 SAME S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON .	2007/03/21 12:11
(S17)	· 22	list NEAR5 (smtp ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:21
S18	397	list NEAR5 (mail ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:21
S19	493	list NEAR5 ((mail OR S1) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:24
(S20)	204	list ADJ3 ((mail OR S1) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON .	2007/03/21 12:26

(S21)		S20 AND S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:27
. S22	124037	email OR (e ADJ mail) OR (electronic ADJ mail)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:28
S23	1079	S22 SAME ((deliver\$1 OR transmi\$5) NEAR3 (error OR fail\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 14:27
S24	1583	S22 SAME ((deliver\$1 OR transmi\$5 OR send\$3) NEAR3 (error OR fail\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:35
(S25)	89	S24 AND (next NEAR3 server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM TDB	SAME	ON	2007/03/21 12:36
S28	17	S24 AND (next ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME ·	ON	2007/03/21 12:38
S27	16897	((\$1mail OR smtp) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:41
S28	506	<pre>(next OR backup OR list OR plurality OR multiple) ADJ2 ((\$1mail OR smtp) ADJ server)</pre>	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:49
S29	185	(select OR specify) ADJ2 ((\$1mail OR smtp) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:51

(\$30)	82	S27 ADJ2 (unavailable OR down OR offline)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 12:51
(\$31)	18	("5473602" "5623600" "5682460" "5826023" "5878230" "5937161" "5987504" "6035104" "6035326" "6035327" "6108709" "6163809" "6282574" "6438583" "6480484" "6532489" "6618747" "6643687"). PN. OR ("7093025").URPN.	US-PGPUB ; USPAT; USOCR	SAME	ON	2007/03/21 12:59
S32	124037	email OR (e ADJ mail) OR (electronic ADJ mail)	US-PGPUB; USPAT; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 13:18
\$33	1528	S32 SAME client SAME list SAME server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 13:19
S34)	281	S32 SAME client SAME (list NEAR3 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 13:21
S35)	149	S32 SAME (backup NEAR3 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 13:21
S36	4340	709/206.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 13:28

			,			1
(S39)	135	709/239.CCLS. AND S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME ·	ON	2007/03/21 13:34
S40	16897	((\$1mail OR smtp) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 13:51
(S41)	14	alternate ADJ S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME ·	ON	2007/03/21 14:22
542	40	S32 NEAR5 retry	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON .	2007/03/21 14:22
(S43)	275	S32 SAME retry	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	SAME , .	ON .	2007/03/21 14:22
S44)	312	S32 SAME resend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 14:22
S45	136623	(email OR (e ADJ mail) OR (electronic ADJ mail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 14:26

		[
S46	1079	S45 SAME ((deliver\$1 OR transmi\$5) NEAR3 (error OR fail\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	SAME	ON	2007/03/21 14:27
(\$47)	3	redundant ADJ3 ((\$1mail OR smtp OR message) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 15:46
(\$48)	21	backup ADJ3 ((\$1mail OR smtp OR message) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 15:48
(\$49)	30	alternate ADJ3 ((\$1mail OR smtp OR message) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 15:52
\$50		709/239.CCLS. AND ((\$1mail OR smtp OR message) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:00
S51		failover SAME ((\$1mail OR smtp OR message) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME .	ON	2007/03/21 16:05
S52	938	(\$1mail OR smtp OR message) NEAR5 deliver\$1 NEAR5 fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:07

			,	,		
(S53)	41	S52 AND failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:08
S54	3836	failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:08
S55	809	failover AND mail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME ·	ON	2007/03/21 16:09
S56	773	failover AND mail AND server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:12
\$57	1512	failover SAME server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:12
(S58)	. 235	failover SAME server SAME (email OR mail OR message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:43
(S59)	166	mx ADJ record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/21 16:43

						,
S60	198	(multiple OR plurality) ADJ ((\$1mail OR smtp) ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 09:04
S61	0	redundant ADJ mail ADJ relay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 09:12
S62	259	smtp AND failover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 09:16
(S63)	. 81	(\$1mail ADJ client) SAME ((multiple OR plurality OR list) ADJ2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 09:20
\$64	71	709/206.CCLS. AND S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 09:42
S65)	42	709/206.CCLS. AND (redundant OR backup OR secondary) ADJ2 server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 09:43
S66	10018	tanimoto\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 13:03

					•	
S67	676	tanimoto-yoshifumi\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	.2007/03/22 13:04
(S68)	16	tanimoto-yoshifumi\$.in. AND ((list OR plurality) ADJ2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 13:06
S69	1082	murata-kikai-kabushiki-ka isha.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 13:07
(S70)	19	murata-kikai-kabushiki-ka isha.as. AND ((list OR plurality) ADJ2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 13:07
S71	0	failover SAME retransmit SAME cancel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON .	2007/03/22 14:33
S ⁷ 2	0	failover SAME (retry OR retransmit OR resend) SAME (cancel OR terminate OR abort)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 14:34
\$74	87	(next OR switch) WITH (retry OR retransmit OR resend) WITH (cancel OR terminate OR abort)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 14:40

						T
(\$75)	23	(next OR switch OR skip) WITH (retry OR retransmit OR resend) WITH (cancel OR terminate OR abort) AND ("709"/\$.CCLS. OR "370"/\$.CCLS.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 14:47
(5 76)	4	(\$1mail OR (e ADJ mail)) WITH temporary WITH (retry OR retransmit OR resend)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22
(S77)	6	(("20030188149") or ("6694353") or ("5813007")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 15:23
(878)	111	(\$1mail OR (e ADJ mail)) SAME ((log OR record) WITH (time AND destination AND server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:01
S79	2753	(\$1mail OR (e ADJ mail)) SAME logging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:01
S80	767	(\$1mail OR (e ADJ mail)) SAME (log ADJ file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:02
(S81)	11	(\$1mail OR (e ADJ mail)) SAME ((log ADJ file) WITH (time AND destination AND server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:07

[
582	413	(\$1mail OR (e ADJ mail)) WITH (log ADJ file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:10
S83)	119	(\$1mail OR (e ADJ mail)) WITH (log ADJ file) WITH server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22
S84	•	log WITH each WITH tcp WITH connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:15
(S85)	· 147	log WITH tcp WITH connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME 1	ON	2007/03/22 16:18
(S87)	221	\$1mail ADJ archive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:19
\$88	35	(\$1mail ADJ archive) WITH (date OR time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME .	ON	2007/03/22 16:21
S89	162	\$1mail WITH archive WITH (date OR time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/22 16:21

3/27/2007 11:32:23 AM Page 13 C:\Documents and Settings\cbiagini\My Documents\EAST\Workspaces\10-632863 - Email client and recor

				r		
(\$90)	1	bypass ADJ permission ADJ table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 09:32
(S91)	341	permission ADJ table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON -	2007/03/26 10:01
(S92)	102	(permission ADJ table) NEAR5 (user OR authentic\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ÒИ	2007/03/26 09:33
(\$93)		(permission ADJ table) SAME ((access OR authenticat\$3) NEAR5 user) SAME (message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 09:57
S94)	19	(permission ADJ table) SAME ((access OR authenticat\$3) NEAR5 user) SAME (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:17
\$95	2	("5504814").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 10:00
S96)	21	(permission ADJ table) SAME (access NEAR5 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:16

3/27/2007 11:32:23 AM Page 14 C:\Documents and Settings\cbiagini\My Documents\EAST\Workspaces\10-632863 - Email client and recor

(£97)	6	(permission ADJ table) SAME (deny)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:07
S98	0	(permission ADJ table) SAME (access ADJ server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:12
(699)	16	(permission ADJ table) SAME (access ADJ2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:12
(S10) 0		(permission ADJ table) SAME (message ADJ2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:12
S10 1	16·	(permission ADJ list) SAME (access NEAR5 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:16
(\$10 2	27	(permission ADJ list) SAME ((access OR authenticat\$3) NEAR5 user) SAME (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:17
(\$10)	159	(access ADJ control ADJ list) SAME (\$1mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:26

S10 4	124	permission NEAR5 send NEAR5 \$1mail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	SAME	ON	2007/03/26 10:26
(S10) 5	42	("5048085" "5129083" "5136712" "5173939" "5220657" "5237679" "5263158" "5315657" "5335346" "5388196" "5410705" "5450593" "5459863" "5463774" "5469576" "5495533" "5615400" "5778222"). PN. OR ("5956715").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2007/03/26 10:36
6	6	((permission OR (access ADJ control)) ADJ (list OR table)) SAME (message ADJ server)	US-PGPUB ; USPAT; USOCR	SAME	ON	2007/03/26 10:38
(S10) 8	1	(retry ADJ immediately) SAME (error OR failure)	US-PGPUB; USPAT; USOCR	SAME	ON .	2007/03/26 10:43
(S10)		(retry ADJ immediately) SAME (error OR failure)	US-PGPUB; USPAT; USOCR	SAME .	ON	2007/03/26 10:43
(511)	45	(retry NEAR3 immediately) SAME (error OR failure)	US-PGPUB; USPAT; USOCR	SAME	ON .	2007/03/26 10:45
S11 1	0	(try ADJ2 next ADJ2 server) NEAR5 immediately	US-PGPUB; USPAT; USOCR	SAME	ON	2007/03/26
\$11	5	(next ADJ2 server) NEAR5 immediately	US-PGPUB; USPAT; USOCR	SAME	ON	2007/03/26 10:45
(\$11) 3	30	log\$4 NEAR3 outgoing NEAR3 connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 10:52
(511)	1	log\$4 NEAR3 outgoing NEAR3 tcp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON.	2007/03/26 10:52

\$11 5	732	log\$4 NEAR3 tcp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON .	2007/03/26 10:53
(S11) 6	134	(logged OR log) NEAR3 tcp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 11:24
(S11)	42	("5048085" "5129083" "5136712" "5173939" "5220657" "5237679" "5263158" "5315657" "5335346" "5388196" "5410705" "5450593" "5459863" "5463774" "5469576" "5495533" "5615400" "5778222"). PN. OR ("5956715").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2007/03/26 12:15
(S11) 8	34	<pre>((((access ADJ control) OR permission OR authentication) ADJ2 (list OR table)) OR acl) SAME ((\$1mail OR message) ADJ server)</pre>	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 13:19
(S11) 9	131	immediate\$2 NEAR3 (failover OR (fail ADJ over))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/03/26 13:51